



Spraygro Liquid Fertilisers

ABN 47 007 974 496

Safety Data Sheet

Globally Harmonised System (GHS)

Compilation date 31/08/2015

Last Revision date 9/10/2019

Version # 3

Bluestripe Triple Sulfate 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product Identifier

Product Name: **Bluestripe Triple Sulfate 2.0**
CAS Number: Not applicable, mixture
Product Code: Bluestripe Triple Sulfate 2.0
Formula: Not applicable, mixture
Synonyms: Not available

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture: **Fertiliser**

1.3 Details of the supplier of the safety data sheet

Company Name: Foliar Fertilizers PTY LTD
Address: 76 Grand Trunkway, Gillman, SA, 5013, AUSTRALIA
Telephone: +61 8 8447 7266

1.4 Emergency number

Emergency Contacts: 0438 897 977 - Product Chemist
0407 606 409 - National Sales Manager

SECTION 2: Hazards Identification

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail; NON-DANGEROUS GOODS.

This material is hazardous according to Safe Work Australia; HAZARDOUS SUBSTANCE.

Classification of the substance or mixture:

Acute aquatic toxicity, category 2
Chronic aquatic toxicity, category 3
Serious Eye Damage, category 1
Specific target organ toxicity following repeated exposure, category 2

SIGNAL WORD:

DANGER



Hazard Statement(s):

H318: Causes serious eye damage

H373: May cause damage to organs through prolonged or repeated exposure

H401: Toxic to aquatic life

H412: Harmful to aquatic life with long-lasting effects

Poisons Schedule: S6 (SUSMP)**Precautionary Statement(s):**Prevention:

P260: Do not breathe mists or aerosols sprays.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

Response:

P310: Immediately call a POISON CENTER or doctor.

P314: Get Medical advice/attention if you feel unwell.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.

Storage:Disposal:

P501 Dispose of contents/container in accordance with local/regional/national/international regulations

SECTION 3: Composition/Information on Ingredients

3.1 Components

Components	CAS Number	Proportion	Material Hazard Codes
water		30 to 60%	
manganese sulfate	10034-96-5	10 to 30%	H373,H411
zinc sulfate	7733-02-0	1 to 10%	H302,H318,H400,H410
copper sulfate	7758-98-7	1 to 10%	H302,H315,H319,H400,H410

SECTION 4: First Aid Measures

For advice, contact a Poisons Information Centre (e.g. phone Australia 131 126)

Inhalation:

If aerosols are inhaled:

- Remove from contaminated area.
- Lay patient down, keep warm and rested.
- Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-value mask device, or pocket mask as trained. Perform CPR if necessary.
- Transport to hospital, or doctor, without delay.

Skin Contact:

If skin or hair contact occurs:

- Flush skin and hair with running water.
- Seek medical attention if irritation is evident.

Eye Contact:

If this product comes in contact with the eyes:

- Immediately hold eyelids apart and flush the eye continuously with running water.
- Contact a Poisons information centre or a doctor and continue flushing until advised to stop.
- Transport to hospital or doctor.
- Removal of contact lenses if worn should be undertaken by skilled personnel.

Ingestion:

If ingestion occurs:

- For advice, contact a Poisons Information Centre, or a doctor at once.
- Urgent hospital treatment is likely to be needed.
- If vomiting occurs lean patient forward or place on left side to maintain open airway and prevent aspiration.
- Never give liquid to a person showing signs of being sleepy or with reduced awareness. i.e. becoming unconscious.
- Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.
- Transport to hospital or doctor without delay.
- Observe the patient carefully.

Signs and Symptoms of Exposure:

Chronic copper poisoning is typified by hepatic cirrhosis, brain damage and demyelisation, kidney defects and copper deposition in the cornea as exemplified by humans with Wilson's disease.

Note to Physician:

For copper poisoning, CaNa₂EDTA has been proposed.

SECTION 5: Fire Fighting Measures

Extinguishing media

- There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

Special Hazards arising from the substrate or mixture

- Avoid contamination with reducing agents, i.e. metal hydrides, phosphine's, sulfites which may liberate flammable gases.

Advice for firefighters

- Alert Fire Brigade and tell them location and nature of hazard.
- Wear breathing apparatus plus protective gloves in the event of a fire.
- Prevent, by any means available, spillage from entering drains or water courses.
- Use fire fighting procedures suitable for surrounding area.

Fire/Explosion Hazard:

- Non-Combustible
- Decomposition products may produce the following toxic and/or corrosive fumes:
 - sulfur oxides
 - carbon monoxide

Firefighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to products of decomposition.

SECTION 6: Accidental Release Measures

Minor spills

- Clean up spill immediately
- Wear personal protective equipment when cleaning up (see section 8).
- Clean up spill with sand or dirt or other inert material.
- For neutralising (if opted), do not use base directly, use sand and base.
- Sweep/shovel for disposal. Comply with procedures laid down by local, state and federal governments.

Major Spill

- Clear area of personnel
- Contact Fire brigade or other hazard agency.

Prevent entry of spills to sewer and public water. Notify authorities if liquid enters sewers or public water.

SECTION 7: Handling and Storage

This material is a Scheduled Poison S6 and must be stored, maintained and used in accordance with the relevant regulations.

Precautions for Safe Handling

- Avoid skin and eye contact.
- Wash hands and other exposed area with mild soap and water before eating, drinking or smoking.

Conditions for safe storage

- Store in a cool, dry, well ventilated place and out of direct sunlight.
- Do not store close to food or food cartons.
- Store away from incompatible materials described in Section 10.
- Keep containers closed when not in use.
- Check regularly for spills.
- Keep out of reach of children and pets.

SECTION 8: Exposure Controls/Personal Protection

Control Parameters: No value assigned for this specific material or the constituents by the National Occupational Health and Safety Commissions.

Appropriate Engineering Controls:

For 1000L IBC containers, ensure a contingency plan is in place in the event of malfunction of the tap.

Personal Protective Equipment

Eye and Face Protection

- Wear goggles or face shield and take all steps to avoid splashing.
- It not recommended that contact lenses be used as they may concentrate irritants.

Skin Protection

- Wear chemically resistant LONG gloves.
- Wear rubber boots.
- Wear Apron or Overalls.
- Do not wear clothes or shoes that reveal bare skin.

Respiratory protection

- If aerosols are produced during use (i.e. fine spraying of product) ensure exposed users have equipped a respirator.

SECTION 9: Physical and Chemical Properties

Physical state:	Liquid
Colour:	blue
Odour:	minimal
pH (average):	2.0
Freezing point:	< 0°C
Boiling point:	~ 105°C
Flash point:	none
Evaporation rate:	no data
Flammability:	not flammable
Vapour pressure:	same as water
Vapour density:	same as water
Specific Gravity:	1.33 (water = 1)
Solubility:	Completely soluble in water
Partition co-efficient	no data
Auto-ignition temperature	no data
Decomposition temperature	no data
Viscosity	1 to 100 mPa.s (water = 1)

SECTION 10: Stability and Reactivity

Reactivity and Associated Hazards

- Reacts with basic (alkaline) chemicals to form non-dangerous salt precipitates.
- May be exothermic in the presence of reducing agents.
- Reacts with phosphates to form non-dangerous salt precipitates.

Stability

- Stable under normal conditions of use.
- Hazardous polymerisation will not occur.

Conditions to avoid

See Section 7

Incompatible materials

Incompatible with:

- Basic (alkaline) chemicals
- Reducing agents

Hazardous Decomposition Products

- sulfur oxides
- carbon monoxide

SECTION 11: Toxicological Information

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Ingestion:

- Swallowing may result in nausea, vomiting, diarrhoea and abdominal pain.
- Swallowing may lead to chronic health effects.

Eye Contact:

- A severe eye irritant. Corrosive to eyes; contact can cause corneal burns. Contamination of eyes can result in permanent injury.

Skin Contact:

- While the components of this liquid are not considered an skin irritant (as classified by EC Directives), direct contact is not recommended as good hygiene practises should be used.

Inhalation:

- Product is not volatile, however, breathing in aerosols may cause chronic health effects.

Chronic:

- There is some concern that exposure of this product may result in organ damage.

Hazards for individual components*

Components	Acute Toxicity	Irritation
manganese sulfate	LD50 for mouse (oral) = 2330mg/kg	insufficient or no data
zinc sulfate	LD50 for rat (oral) > 1710mg/kg	eye irritant
copper sulfate	LD 50 for rat (oral) = 482mg/kg	skin/eye irritant

* additional toxicity data, including sensitisation, genetic toxicity, carcinogenicity can be found in the European Chemical Agency (ECHA) databases.

SECTION 12: Ecological Information

- DO NOT CONTAMINATE WATERWAYS
- Toxic to aquatic life
- Harmful to aquatic life with long-lasting effects

Ecotoxicity for product: No available data

- Ecotoxicity for individual components*

Components	Acute Aquatic Toxicity
manganese sulfate	insufficient or no data
zinc sulfate	LC50 (96h) 0.78mg/L
copper sulfate	LC 50 (96hr) Cyprinus = 0.81mg/L

* additional toxicity data, including long-term aquatic toxicity, aquatic invertebrates, algae/microorganisms can be found in the European Chemical Agency (ECHA) databases.

Persistence and degradability: No specific data on this product

Bioaccumulative Potential: No specific data on this product

Mobility in Soil: No specific data on this product

This SDS summarises to our best knowledge at the date of issue, the chemical health and safety hazards of the material and general guidance on how to safely handle the material. Since Spraygro Liquid Fertilisers Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, assess and control the risks arising from its use of the material.

Compilation date 31/08/2015

Revision date 9/10/2019

Version # 3

End of document